



DSA Structural Amendments under review are highlighted in GRAY

Template 17-07

2001 CBC - Chapter 17A

STRUCTURAL TESTS AND INSPECTIONS

Section - 1701A - SPECIAL INSPECTIONS

Subsection(s) - 1701A.5: 15. Special Cases - 18. Post Installed Anchors

1 1701A.5 Types of Work *Requiring Constant Presence of the*
2 *Project or Special Inspector.*

3 ● ● ● ●

4
5 15. **Special cases.** Work that, in the opinion of the *enforcement*
6 *agency*, involves unusual hazards or conditions.

7
8 16. **Manufactured trusses.** *The fabrication of trusses and other*
9 *assemblages constructed using wood and metal members, or us-*
10 *ing light metal plate connectors, shall be continuously inspected*
11 *by a qualified inspector approved by the enforcement agency. See*
12 *Chapter 23A, Division IX, Section 2337A, for additional require-*
13 *ments.*

14
15 17. **Glued-laminated Timber.** *The fabrication of all glued-lam-*
16 *inated timber shall be continuously inspected by a qualified in-*
17 *pector approved by the enforcement agency. See Chapter 23A,*
18 *Division IX, Section 2337A, for additional requirements.*

19
20 18. **Post Installed Anchors.** *The installation of drilled-in ex-*
21 *pansion or chemical-type anchors in concrete or masonry shall be*
22 *continuously inspected by a qualified inspector approved by the*
23 *enforcement agency. See Chapter 19A, Division III, Section*
24 *1923A.3.5, and the appropriate evaluation report for additional*
25 *requirements.*