



DSA Structural Amendments under review are highlighted in GRAY

Template 25-01

2001 CBC - Chapter 25A
GYPSUM BOARD AND PLASTER

Section - 2501A.1 - SCOPE

Subsection(s) - 2501A.1 - 2501A.3

1 **2501A.1 General.** *The quality, design and installation of all*
2 *wall and ceiling coverings and support systems shall comply with*
3 *the requirements and standards set forth in this chapter.* The in-
4 stallation of lath, plaster and gypsum board shall be done in aman-
5 ner and with materials as specified in this chapter and, when
6 required for fire-resistive construction, also shall conform to the
7 provisions of Chapter 7.

8
9 *Where required for fire-resistive construction, installation shall*
10 *also conform with the provisions of Chapter 7.*

11
12 *Details of attachment for wall and ceiling coverings which are*
13 *not provided for in the UBC or in these regulations shall be de-*
14 *tailed in the approved plans and specifications.*

15
16 Other approved wall or ceiling coverings may be installed in ac-
17 cordance with the recommendations of the manufacturer and the
18 conditions of approval.

19
20 **2501A.2 Inspection.** No lath or gypsum *wallboard* or their at-
21 tachments shall be covered or finished until it has been inspected
22 and approved by the *project inspector*.

23
24 **2501A.3 Tests.** The *enforcement agency* may require tests to be
25 made in accordance with approved standards to determine com-
26 pliance with the provisions of *these regulations*.

27
28 *The testing of gypsum and gypsum products shall conform with*
29 *ASTM C 22, C 472 and C 473.*